



**COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT**

Inspection Date: 12/09/2003

Time Start: \_\_\_\_\_

Time Finish: \_\_\_\_\_

**HAZARDOUS WASTE INSPECTION REPORT**☐ **GENERATOR**☒ **S Q GENERATOR**Company name: Giles and Ransome, Inc. I.D. Number: PAD007910417Site Address 2975 Galloway Road, Bensalem, PACounty: Bucks Municipality: Bensalem Township Zip: 19020Name of Inspector Dirk Robinson and James PaganoName & Title of Responsible Official: Mike Barnasevitch – Risk Management CoordinatorPerson Interviewed: Karen Scollon and Dan Weaver Telephone: 215-639-4300Mailing Address (if different from above): SameAmount of Hazardous Waste Generated per Month: 1,200 Pounds \_\_\_\_\_ Kilograms \_\_\_\_\_**1. Site Characterization:**STORAGE: ☒ Container ☐ Tanks ☐ Containment Bldg. ☐ Drip Pad Other: \_\_\_\_\_PBR: ☐ Neutralization/WWTP ☐ Reclaim Other: \_\_\_\_\_GENERATOR TREATMENT ☐ Containers ☐ Tanks ☐ Containment Bldg. ☐ Drip Pad**2. Universal Waste:** ☒ Large Quantity Handler ☐ Small Quantity HandlerUniversal Waste Types: Batteries**3. Hazardous Waste Transporters:**Transporter Name: Republic Environmental Systems License Number: PA-AH 0317**4. Types of hazardous waste generated and destination facility (location & type).**

Waste Code	Waste Description	Destination Facility
D001	Waste Flammable Liquids	Republic Environmental Services
		2869 Sandstone Drive
D007	Hazardous Waste Solid (lead & chromium)	Hatfield, PA 19940
D001, D039	Petroleum Naphtha	Safety-Kleen – Fairless Hills, Pa

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS

Site Name: Giles and Ransome, Inc. ID Number: PAD007910417 Date: 12/09/2003

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED. CIT. 40 CFR	LINE NO.
X				Hazardous waste determination performed on all waste streams	262a.10	262.11	H001
X				Identification Number	262a.10	262.12	H002
X				Authorized transporters only	262a.10	262.12(c)	H003
X				Subsequent notification requirements met	262a.12(b)		H004
X				Proper manifest used	262a.10	262.21	H005
X				Manifests filled out correctly and completely	262a.20		H006
X				Manifests signed and routed properly	262a.23(a)	262.23	H007
	X			Generator waste accumulated on site for 90 days or less	262a.10	262.34(a)	H008
X				SQG waste accumulated on site for 180 days max unless 200 mile distance rule applies - 270 days	262a.10	262.34(e)(f)	H009
X				SQG waste accumulated on-site never exceeds 6000 kg	262a.10	262.34(e)(f)	H010
X				Satellite accumulation requirements complied with	262a.10	262.34(c)	H011
X				Personnel training program per 265.16 complied with	262a.10	262.34(a)(4) 262.34(d)	H012
X				Manifest exception and biennial reports retained for 3 years	262a.10	262.40(a)(b)	H013
X				Specified records retained for three years	262a.10	262.40(c)	H014
	X			Biennial reports submitted to the Department (LQG only)	262a.41	262.41	H015
X				Exception reporting procedures followed	262a.42	262.42	H016
X				Spill reporting procedures followed	262a.10	262.34(d)	H017
X				PPC plan developed and implemented	262a.10	262.34(a)	H018
X				Special requirements followed for international shipments	262a.10	262.50 & 262.60	H019
	X			Source reduction strategy prepared and available (LQG only)	262a.100		H020
X				Excluded waste complies with exclusionary requirements	261a.4	261.4	H021

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

**HAZARDOUS WASTE INSPECTION REPORT  
GENERATORS -- SMALL QUANTITY GENERATORS  
FACILITY SPECIFICS**

Site Name: Giles and Ransome, Inc. ID Number: PAD007910417 Date: 12/09/2003

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

**STATUS**

1	2	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED CIT. 40 CFR	LINE NO.
				<b>CONTAINERS</b> (Subchapter I)			
X				Containers managed in compliance with 40 CFR Part 265 Subpart I and 25 PA Code Chapter 265a Subchapter I	262a.10	262.34	H025
X				Containers of hazardous waste in good condition	265a.1	265.171	H026
X				Containers and stored waste compatible	265a.1	265.172	H027
X				Containers kept closed except during addition or removal of wastes	265a.1	265.173(a)	H028
X				Containers managed to prevent leaks	265a.1	265.173(b)	H029
X				Container configuration and spacing insures safe management and access for inspection purposes and emergency equipment	265a.173		H030
X				Container storage areas inspected at least weekly	265a.1	265.174	H031
X				Special requirements for ignitable or reactive and incompatible waste complied with	265a.1	265.176-177	H032
X				Proper containment and collection systems in place	265a.179		H033
X				Air emission standards complied with (AA, BB, CC)	265a.1	265.178	H034
		X		Containers clearly marked with accumulation date and visible for inspection	262a.10	262.34(a)(2)	H035
X				Containers labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H036
X				Containers labeled accurately identify contents	SWMA 6018.403(b)(2)		H037

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site Name: Giles and Ransome, Inc. ID Number: PAD007910417 Date: 12/09/2003

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA CODE	FED CIT. 40 CFR	LINE NO.
				<b>LQG TANKS</b> (Subchapter J)			
	X			Tanks labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H040
	X			Written certification by registered professional engineer for proper tank (system) design and installation on file	262a.10	265.192(a)	H041
	X			Secondary containment provided for tanks (systems) as required	265a.193	265.193	H042
	X			Tanks (systems) managed to prevent rupture, leak, corrode or fail	265a.1	265.194	H043
	X			Tanks labeled to accurately identify contents	265a.194		H044
	X			Required inspections completed and documented in operating log	265a.195	265.195	H045
	X			Release reported to Department within 24 hours, unless exempted	265a.1	265.196	H046
	X			Special requirements for ignitable and reactive wastes followed	265a.1	265.198	H047
	X			Special small quantity generator requirements	265a.1	265.201	H048
				<b>SQG TANKS</b>			
	X			Waste contents compatible with tank	265a.1	265.201(b)(2)	H051
	X			Uncovered tanks operated with 2 feet of freeboard or equivalent containment capacity	265a.1	265.201(b)(3)	H052
	X			If continuously fed, tank has method to stop inflow	265a.1	265.201(b)(4)	H053
	X			Daily tank inspection requirements complied with	265a.1	265.201(c)(1-3)	H054
	X			Weekly tank inspection requirements complied with	265a.1	265.201(c)(4,5)	H055
	X			All waste removed at closure	265a.1	265.201(d)	H056
	X			Special requirements for ignitable or reactive waste complied with	265a.1	265.201(e)(1)	H057
	X			Covered tank buffer zone requirements complied with	265a.1	265.201(e)(2)	H058
	X			Incompatible waste requirements met	265a.1	265.201(f)	H059



COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site Name: Giles and Ransome, Inc. ID Number: PAD007910417 Date: 12/09/2003

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA CODE	FED CIT. 40 CFR	LINE NO.
				<b>Containment Buildings</b> (Subchapter T)			
	X			Building completely enclosed to prevent exposure to the elements	265a.1	265.1101(a)(1)	H061
	X			Meets special requirements if liquids present	265a.1	265.1101(b)	H062
	X			Primary barrier free of significant gaps, cracks and deterioration	265a.1	265.1101(c)(1)(i)	H063
	X			Level of hazardous waste within unit is below containment walls	265a.1	265.1101(c)(1)(ii)	H064
	X			Tracking of waste out of unit by equipment or personnel prevented	265a.1	265.1101(c)(1)(iii)	H065
	X			No visible dust emissions at doors, windows, vents, etc.	265a.1	265.1101(c)(1)(iv)	H066
	X			Professional engineer's certification placed in operating record	265a.1	265.1101(c)(2)	H067
	X			Required inspections performed and logged in operating record	265a.1	265.1101(c)(4)	H068
				<b>Drip Pads</b> (Subchapter S)			
	X			Engineer's certification of existing drip pads on file	265a.1	265.441(a)	H069
	X			Drip pad meets 265.443 design & operating standards	265a.1	265.443	H070
	X			(a) Nonearthen, sloped construction with berm to channel associated drippage to collection system	265a.1	265.443(a)	H071
	X			(b) Has synthetic liner below the pad with properly constructed leak detection system	265a.1	265.443(b)	H072
	X			Drip pads & collection system maintained to prevent deterioration	265a.1	265.443(c)	H073
	X			Drip pads & collection systems designed to prevent run-off	265a.1	265.443(d)	H074
	X			Run-on/run-off control system maintained unless pad protected by a structure	265a.1	265.443(e)	H075
	X			Release reporting requirements met	265a.1	265.443(m)	H076
	X			Drip pads inspected weekly and after storms when in operation	265a.1	265.444(b)	H077

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

Date of inspection: 12/09/2003Identification Number: PAD007910417Company/Facility/Site Name: Giles and Ransome, Inc.

A hazardous waste inspection was conducted on the above referenced facility by Waste Management inspector Dirk Robinson and Waste Management Supervisor James Pagano. Representing Giles and Ransome during the inspection was Karen Scollon, Risk Management Secretary; and Dan Weaver, Sales Representative.

Giles and Ransome is a sales and repair facility for "caterpillar" heavy construction equipment. The facility also stripes and paints parts of the caterpillar construction equipment.

Three hazardous waste streams are generated at the facility. Paint chips, which are generated from a sandblasting operation, a sludge that is generated from a cook off operation, and a corrosive waste from batteries.

Waste batteries are sent off site for recycling and the corrosive liquid waste from draining the batteries is also sent off site for recycling. Paint chips from the sandblasting operation are separated from the sand and the sand is recycled back into the sandblasting operation.

The sludge is generated from a cook off operation. The waste stream prior to cook off is generated from a cleaning operation and consists of 5% sodium nitrate which is an oxidizer (D001) and 5% potassium hydroxide which is a corrosive (D002) which then diluted with water making it a non hazardous waste stream. By the time it is cooked down the resulting sludge is hazardous for chromium and lead, which is introduced during the cleaning of equipment parts. Giles and Ransome submitted to the department a waste analysis profile for parts cleaner waste stream prior to cooking off that indicated it as being non hazardous.

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature):

Mailed to Facility

Date:

12/17/03

Inspector (signature):

Dirk K. Robinson

Date:

12/17/03

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

Date of inspection: 12/09/2003Identification Number: PAD007910417Company/Facility/Site Name: Giles and Ransome, Inc.

The hazardous waste storage area contained drums of hazardous waste sludge, solid paint chips, corrosive acid, and non hazardous waste oil. At the time of the inspection labels were being reapplied since the cold weather had made them fall off. The hazardous waste labels did not have the required dates written on them. There was one portable secondary containment pallet that held one drum.

A record review of manifests for the year 2003 was conducted and they appeared to be properly completed and routed within the specified time limits. The PPC plan had all the required elements and appeared to be up to date. Training records were available for those employees who manage hazardous waste. A weekly inspection log for the hazardous waste storage area was up to date.

Recommendation: The purchase of more portable secondary containment pallets should be made so that all liquid hazardous waste can be properly stored.

One violation noted during this inspection is as follows:

1. Containers were not clearly marked with accumulation date and visible for inspection, in violation of Title 40 § 262.34(a)(2).

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature):

*Mailed to Facility*Date: 12/17/03

Inspector (signature):

*Jack K. Benson*Date: 12/12/03



COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

Inspection Date 4/4/2003  
Time Start 2:00 PM  
Time Finish 3:00 PM

## HAZARDOUS WASTE INSPECTION REPORT

☐ GENERATOR☒ S Q GENERATORCompany name GILES & RANSOME, INC. I.D. Number PAD007910417Site Address 2975 GALLOWAY ROADCounty BUCKS Municipality BENSALEM TWP. Zip 19020Name of Inspector ALEX PAGEName & Title of Responsible Official MIKE BARNASEVITCH - RISK MGT. COORDINATORPerson Interviewed MIKE BARNASEVITCH Telephone (215) 639-4300Mailing Address (if different from above) SAMEAmount of Hazardous Waste Generated per Month: 1000 Pounds \_\_\_\_\_ Kgs

## 1. Site Characterization:

STORAGE: ☒ Container ☐ Tanks ☐ Containment Bldg. ☐ Drip Pad Other \_\_\_\_\_PBR: ☐ Neutralization/WWTP ☐ Reclaim Other \_\_\_\_\_GENERATOR TREATMENT ☐ Containers ☐ Tanks ☐ Containment Bldg. ☐ Drip Pad2. Universal Waste: ☐ Large Quantity Handler ☐ Small Quantity HandlerUniversal Waste Types GENERATOR OF NICKEL-CADMIUM BATTERIES

## 3. Hazardous Waste Transporters:

Transporter Name ST. JOSEPH MOTOR LINES License Number PA-AH 0390Transporter Name HORVITH TRUCKS, INC. License Number PA-AH 0176Transporter Name ENVIR. WASTE MINIMIZATION License Number PA-AH 0682

## 4. Types of hazardous waste generated and destination facility (location &amp; type).

Waste Code	Waste Description	Destination Facility
<u>D001/F005</u>	<u>WASTE PAINT RELATED MATERIAL</u>	<u>PERMA-FIX OF S. GEORGIA</u>
		<u>VALDOSTA GA. 31601</u>
<u>D007/P00B</u>	<u>HAZ. WASTE SOLID LEAD/CHROME</u>	<u>PERMA-FIX OF MICHIGAN</u>
		<u>WYANDOTTE, MI 48192</u>
<u>D001/F003</u>	<u>WASTE FLAMMABLE LIQ.</u>	<u>EQ RESOURCE REC.</u>
		<u>36345 VAN BORN RD</u>
		<u>ROMULUS MI 48174</u>
<u>D002, P00G</u>	<u>WASTE CADMIUM BATTERIES</u>	<u>AERC - ALLENTOWN 18103</u>

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS

Site Name GILES + RANSOME ID Number PA0 007910417 Date 4/4/2003

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED. CIT. 40 CFR	LINE NO.
X				Hazardous waste determination performed on all waste streams	262a.10	262.11	H001
X				Identification Number	262a.10	262.12	H002
X				Authorized transporters only	262a.10	262.12(c)	H003
X				Subsequent notification requirements met	262a.12(b)		H004
X				Proper manifest used	262a.10	262.21	H005
X				Manifests filled out correctly and completely	262a.20		H006
X				Manifests signed and routed properly	262a.23(a)	262.23	H007
	X			Generator waste accumulated on site for 90 days or less	262a.10	262.34(a)	H008
X				SQG waste accumulated on site for 180 days max unless 200 mile distance rule applies - 270 days	262a.10	262.34(e)(f)	H009
X				SQG waste accumulated on-site never exceeds 6000 kg	262a.10	262.34(e)(f)	H010
X				Satellite accumulation requirements complied with	262a.10	262.34(c)	H011
X				Personnel training program per 265.16 complied with	262a.10	262.34(a)(4) 262.34(d)	H012
X				Manifest exception and biennial reports retained for 3 years	262a.10	262.40(a)(b)	H013
X				Specified records retained for three years	262a.10	262.40(c)	H014
	X			Biennial reports submitted to the Department (LQG only)	262a.41	262.41	H015
X				Exception reporting procedures followed	262a.42	262.42	H016
X				Spill reporting procedures followed	262a.10	262.34(d)	H017
X				PPC plan developed and implemented	262a.10	262.34(a)	H018
X				Special requirements followed for international shipments	262a.10	262.50 262.60	H019
	X			Source reduction strategy prepared and available (LQG only)	262a.100		H020
X				Excluded waste complies with exclusionary requirements	261a.4	261.4	H021

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site Name GILES + RANSOME ID Number PAD007910417 Date 4/4/2003

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED CIT. 40 CFR	LINE NO.
				<b>CONTAINERS (Subchapter I)</b>			
X				Containers managed in compliance with 40 CFR Part 265 Subpart I and 25 PA Code Chapter 265a Subchapter I	262a.10	262.34	H025
X				Containers of hazardous waste in good condition	265a.1	265.171	H026
X				Containers and stored waste compatible	265a.1	265.172	H027
X				Containers kept closed except during addition or removal of wastes	265a.1	265.173(a)	H028
X				Containers managed to prevent leaks	265a.1	265.173(b)	H029
X				Container configuration and spacing insures safe management and access for inspection purposes and emergency equipment	265a.173		H030
X				Container storage areas inspected at least weekly	265a.1	265.174	H031
X				Special requirements for ignitable or reactive and incompatible waste complied with	265a.1	265.176-177	H032
X				Proper containment and collection systems in place	265a.179		H033
X				Air emission standards complied with (AA, BB, CC)	265a.1	265.178	H034
X				Containers clearly marked with accumulation date and visible for inspection	262a.10	262.34(a)(2)	H035
X				Containers labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H036
X				Containers labeled accurately identify contents	SWMA 6018.403(b) (2)		H037

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

**HAZARDOUS WASTE INSPECTION REPORT  
GENERATORS -- SMALL QUANTITY GENERATORS  
FACILITY SPECIFICS**

Site Name GILES + RAWSONE ID Number PAP 007910417 Date 4/4/03  
1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

**STATUS**

1	2	3	4	REQUIREMENT	PA CIT. 25 PA CODE	FED CIT. 40 CFR	LINE NO.
<input checked="" type="checkbox"/>				<b>LQG TANKS (Subchapter J)</b>			
	<input checked="" type="checkbox"/>			Tanks labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H040
	<input checked="" type="checkbox"/>			Written certification by registered professional engineer for proper tank (system) design and installation on file	262a.10	265.192(a)	H041
				Secondary containment provided for tanks (systems) as required	265a.193	265.193	H042
				Tanks (systems) managed to prevent rupture, leak, corrode or fail	265a.1	265.194	H043
				Tanks labeled to accurately identify contents	265a.194		H044
				Required inspections completed and documented in operating log	265a.195	265.195	H045
				Release reported to Department within 24 hours, unless exempted	265a.1	265.196	H046
				Special requirements for ignitable and reactive wastes followed	265a.1	265.198	H047
				Special small quantity generator requirements	265a.1	265.201	H048
<input checked="" type="checkbox"/>				<b>SQG TANKS</b>			
	<input checked="" type="checkbox"/>			Waste contents compatible with tank	265a.1	265.201(b)(2)	H051
	<input checked="" type="checkbox"/>			Uncovered tanks operated with 2 feet of freeboard or equivalent containment capacity	265a.1	265.201(b)(3)	H052
				If continuously fed, tank has method to stop inflow	265a.1	265.201(b)(4)	H053
				Daily tank inspection requirements complied with	265a.1	265.201(c)(1-3)	H054
				Weekly tank inspection requirements complied with	265a.1	265.201(c)(4,5)	H055
				All waste removed at closure	265a.1	265.201(d)	H056
				Special requirements for ignitable or reactive waste complied with	265a.1	265.201(e)(1)	H057
				Covered tank buffer zone requirements complied with	265a.1	265.201(e)(2)	H058
				Incompatible waste requirements met	265a.1	265.201(f)	H059

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site Name GILES + RANSOME ID Number PA0007910417 Date 4/4/03

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA CODE	FED CIT. 40 CFR	LINE NO.
	X			<b>Containment Buildings</b> (Subchapter T)			
	↓			Building completely enclosed to prevent exposure to the elements	265a.1	265.1101(a)(1)	H061
				Meets special requirements if liquids present	265a.1	265.1101(b)	H062
				Primary barrier free of significant gaps, cracks and deterioration	265a.1	265.1101(c)(1)(i)	H063
				Level of hazardous waste within unit is below containment walls	265a.1	265.1101(c)(1)(ii)	H064
				Tracking of waste out of unit by equipment or personnel prevented	265a.1	265.1101(c)(1)(iii)	H065
				No visible dust emissions at doors, windows, vents, etc.	265a.1	265.1101(c)(1)(iv)	H066
				Professional engineer's certification placed in operating record	265a.1	265.1101(c)(2)	H067
				Required inspections performed and logged in operating record	265a.1	265.1101(c)(4)	H068
	X			<b>Drip Pads</b> (Subchapter S)			
	↓			Engineer's certification of existing drip pads on file	265a.1	265.441(a)	H069
				Drip pad meets 265.443 design & operating standards	265a.1	265.443	H070
				(a) nonearthen, sloped construction with berm to channel associated drippage to collection system	265a.1	265.443(a)	H071
				(b) Has synthetic liner below the pad with properly constructed leak detection system	265a.1	265.443(b)	H072
				Drip pads & collection system maintained to prevent deterioration	265a.1	265.443(c)	H073
				Drip pads & collection systems designed to prevent run-off	265a.1	265.443(d)	H074
				Run-on/run-off control system maintained unless pad protected by a structure	265a.1	265.443(e)	H075
				Release reporting requirements met	265a.1	265.443(m)	H076
				Drip pads inspected weekly and after storms when in operation	265a.1	265.444(b)	H077



COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

Date of Inspection 4/4/2003 Identification Number PAD 007910417Company/Facility/Site Name GILES & RANSOME

INSPECTION CONDUCTED BY ALEX PAGE. MIKE BARNASEVITCH, RISK MGT. COORDINATOR WAS THE FACILITY GUIDE. GILES + RANSOME IS A SALES AND REPAIR FACILITY FOR "CATERPILLAR" HEAVY CONSTRUCTION EQUIPMENT. GILES AND RANSOME EMPLOY ABOUT 300 PEOPLE WHO WORK 2 SHIFTS. ACCESS CONTROL IS PROVIDED BY 24 HR. SECURITY GUARD, CHAIN LINK FENCE AND ALARM SYSTEMS.

HAZARDOUS WASTE STREAMS ARE: PAINT WASTE, DEGREASING SLUDGE, SPENT TOLUENE + SULFURIC ACID, AND USED NICKEL-CADMIUM BATTERIES. AT THE HAZARDOUS WASTE STORAGE AREA, DRUMS OF HAZARDOUS WASTE WERE LABELED AND HAD ACCUMULATION DATES LESS THAN 180 DAYS.

AT A RECORD REVIEW, MANIFESTS WERE AVAILABLE AND APPEARED PROPERLY COMPLETED AND ROUTED WITHIN TIME LIMITS. THE P.P.C. PLAN WAS AVAILABLE AND

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature) Mike BarnasevitchDate 4-4-03Inspector (signature) Alex Page

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS


Date of Inspection 4/4/2003 Identification Number PAD 0079 10417Company/Facility/Site Name GILES + RANSOMEAND APPEARED TO BE UP TO DATE AND CONTAINING  
ALL REQUIRED ELEMENTS.TRAINING RECORDS WERE AVAILABLE AND BOTH  
TRAINING TOPICS AND PERSONNEL SIGN-IN SHEETS WERE  
INCLUDED.A WEEKLY INSPECTION LOG OF THE HAZARDOUS  
WASTE STORAGE AREA INDICATED THAT NO LEAKS OR  
SPILLS OCCURED DURING THE PAST YEAR.NO VIOLATIONS OBSERVED

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.


This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature)

Date 4-4-03

Inspector (signature)





Inspection Id: 224024 Insp Type: CEI Compliance Evaluation Date Inspected: 04/04/2003

Inspected Entry:

Cat: PF Entity: 704 PAD007910417 GILES & RANSOME, INC. Program Specific Id: PAD007910417

Type: CAHWO Captive Haz Kind: Status: ACTIV Active

More SF: Sub Fac: 2227 PAD007910417 GILES & RANSOME, INC. Type: HGCAP

SF Status:

General Insp SF Viol Rel Insp Comp Asst Cover Area Admin

Owner/Operator: 2378 007910417 GILES & RAMSOME INC

Complaint Id: Inspector: 446831 PAGE, ALEX

Due Date: Inspection Result: NOVIO No Violations Noted

Date Scheduled: Scheduled By:

Agency: DEP PA Dept of Environmental Prote External Joint Insp Viol Ind Compliant Ind

Program: WMHW ICS Code: 4100 SE REGIONAL OFFICE, CONSHOHO External Details

PF Related Info:

County: 09 Bucks Municipality: 09004 Bensalem

Create ENF Back Go To



COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

Inspection Date 2/22/2002  
Time Start 10:00 AM  
Time Finish 12:00 Noon

## HAZARDOUS WASTE INSPECTION REPORT

☐ GENERATOR☒ S Q GENERATORCompany name GILES + RANSOME, INC. I.D. Number PAD007910417Site Address 2975 GALLOWAY ROADCounty BUCKS Municipality BENSALEM TOWNSHIP Zip 19020Name of Inspector ALEX PAGEName & Title of Responsible Official MIKE BARNASEVITCH - RISK MANAGEMENT COR.Person Interviewed MIKE BARNASEVITCH Telephone ( 215 ) 639-4300Mailing Address (if different from above) SAMEAmount of Hazardous Waste Generated per Month: 1200 Pounds \_\_\_\_\_ Kgs

## 1. Site Characterization:

STORAGE: ☒ Container ☐ Tanks ☐ Containment Bldg. ☐ Drip Pad Other \_\_\_\_\_PBR: ☐ Neutralization/WWTP ☐ Reclaim Other \_\_\_\_\_GENERATOR TREATMENT ☐ Containers ☐ Tanks ☐ Containment Bldg. ☐ Drip Pad2. Universal Waste: ☐ Large Quantity Handler ☐ Small Quantity HandlerUniversal Waste Types GENERATOR - NICKEL-CADMIUM BATTERIES

## 3. Hazardous Waste Transporters:

Transporter Name REPUBLIC ENVIR SYS. License Number PA-AH0317

Transporter Name \_\_\_\_\_ License Number \_\_\_\_\_

Transporter Name \_\_\_\_\_ License Number \_\_\_\_\_

## 4. Types of hazardous waste generated and destination facility (location &amp; type).

Waste Code	Waste Description	Destination Facility
<u>D001</u>	<u>WASTE FLAMMABLE LIQUIDS</u>	<u>REPUBLIC ENVIR. SYS</u>
<u>D007</u>	<u>HAZARDOUS WASTE SOLID</u>	<u>2869 SANDSTONE DR.</u>
		<u>HATFIELD PA 19940</u>

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS

Site Name GILES + RANSOME ID Number PAD 007910417 Date 2/22/2002

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED. CIT. 40 CFR	LINE NO.
X				Hazardous waste determination performed on all waste streams	262a.10	262.11	H001
X				Identification Number	262a.10	262.12	H002
X				Authorized transporters only	262a.10	262.12(c)	H003
X				Subsequent notification requirements met	262a.12(b)		H004
X				Proper manifest used	262a.10	262.21	H005
X				Manifests filled out correctly and completely	262a.20		H006
X				Manifests signed and routed properly	262a.23(a)	262.23	H007
	X			Generator waste accumulated on site for 90 days or less	262a.10	262.34(a)	H008
X				SQG waste accumulated on site for 180 days max unless 200 mile distance rule applies - 270 days	262a.10	262.34(e)(f)	H009
X				SQG waste accumulated on-site never exceeds 6000 kg	262a.10	262.34(e)(f)	H010
X				Satellite accumulation requirements complied with	262a.10	262.34(c)	H011
X				Personnel training program per 265.16 complied with	262a.10	262.34(a)(4) 262.34(d)	H012
X				Manifest exception and biennial reports retained for 3 years	262a.10	262.40(a)(b)	H013
X				Specified records retained for three years	262a.10	262.40(c)	H014
	X			Biennial reports submitted to the Department (LQG only)	262a.41	262.41	H015
X				Exception reporting procedures followed	262a.42	262.42	H016
X				Spill reporting procedures followed	262a.10	262.34(d)	H017
X				PPC plan developed and implemented	262a.10	262.34(a)	H018
X				Special requirements followed for international shipments	262a.10	262.50 262.60	H019
	X			Source reduction strategy prepared and available (LQG only)	262a.100		H020
X				Excluded waste complies with exclusionary requirements	261a.4	261.4	H021

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site Name GILES + RANSOME ID Number PAD 007910417 Date 2/22/2002

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

**STATUS**

1 2 3 4				REQUIREMENT	PA CIT. 25 PA Code	FED CIT. 40 CFR	LINE NO.
				<b>CONTAINERS (Subchapter I)</b>			
X				Containers managed in compliance with 40 CFR Part 265 Subpart I and 25 PA Code Chapter 265a Subchapter I	262a.10	262.34	H025
X				Containers of hazardous waste in good condition	265a.1	265.171	H026
X				Containers and stored waste compatible	265a.1	265.172	H027
X				Containers kept closed except during addition or removal of wastes	265a.1	265.173(a)	H028
X				Containers managed to prevent leaks	265a.1	265.173(b)	H029
X				Container configuration and spacing insures safe management and access for inspection purposes and emergency equipment	265a.173		H030
X				Container storage areas inspected at least weekly	265a.1	265.174	H031
X				Special requirements for ignitable or reactive and incompatible waste complied with	265a.1	265.176-177	H032
X				Proper containment and collection systems in place	265a.179		H033
X				Air emission standards complied with (AA, BB, CC)	265a.1	265.178	H034
X				Containers clearly marked with accumulation date and visible for inspection	262a.10	262.34(a)(2)	H035
X				Containers labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H036
X				Containers labeled accurately identify contents	SWMA 6018.403(b) (2)		H037

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site Name GILES + RANSOME ID Number PA0007910417 Date 2/22/2002

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA CODE	FED CIT. 40 CFR	LINE NO.
	X			<b>LQG TANKS</b> (Subchapter J)			
				Tanks labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H040
				Written certification by registered professional engineer for proper tank (system) design and installation on file	262a.10	265.192(a)	H041
				Secondary containment provided for tanks (systems) as required	265a.193	265.193	H042
				Tanks (systems) managed to prevent rupture, leak, corrode or fail	265a.1	265.194	H043
				Tanks labeled to accurately identify contents	265a.194		H044
				Required inspections completed and documented in operating log	265a.195	265.195	H045
				Release reported to Department within 24 hours, unless exempted	265a.1	265.196	H046
				Special requirements for ignitable and reactive wastes followed	265a.1	265.198	H047
				Special small quantity generator requirements	265a.1	265.201	H048
	X			<b>SQG TANKS</b>			
				Waste contents compatible with tank	265a.1	265.201(b)(2)	H051
				Uncovered tanks operated with 2 feet of freeboard or equivalent containment capacity	265a.1	265.201(b)(3)	H052
				If continuously fed, tank has method to stop inflow	265a.1	265.201(b)(4)	H053
				Daily tank inspection requirements complied with	265a.1	265.201(c)(1-3)	H054
				Weekly tank inspection requirements complied with	265a.1	265.201(c)(4,5)	H055
				All waste removed at closure	265a.1	265.201(d)	H056
				Special requirements for ignitable or reactive waste complied with	265a.1	265.201(e)(1)	H057
				Covered tank buffer zone requirements complied with	265a.1	265.201(e)(2)	H058
				Incompatible waste requirements met	265a.1	265.201(f)	H059

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

**HAZARDOUS WASTE INSPECTION REPORT  
GENERATORS -- SMALL QUANTITY GENERATORS  
FACILITY SPECIFICS**

Site Name GILES + RANSOME ID Number PAD007910417 Date 2/22/2002

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

**STATUS**

1	2	3	4	REQUIREMENT	PA CIT. 25 PA CODE	FED CIT. 40 CFR	LINE NO.
	X			<b>Containment Buildings</b> (Subchapter T)			
				Building completely enclosed to prevent exposure to the elements	265a.1	265.1101(a)(1)	H061
				Meets special requirements if liquids present	265a.1	265.1101(b)	H062
				Primary barrier free of significant gaps, cracks and deterioration	265a.1	265.1101(c)(1)(i)	H063
				Level of hazardous waste within unit is below containment walls	265a.1	265.1101(c)(1)(ii)	H064
				Tracking of waste out of unit by equipment or personnel prevented	265a.1	265.1101(c)(1)(iii)	H065
				No visible dust emissions at doors, windows, vents, etc.	265a.1	265.1101(c)(1)(iv)	H066
				Professional engineer's certification placed in operating record	265a.1	265.1101(c)(2)	H067
			✓	Required inspections performed and logged in operating record	265a.1	265.1101(c)(4)	H068
	X			<b>Drip Pads</b> (Subchapter S)			
				Engineer's certification of existing drip pads on file	265a.1	265.441(a)	H069
				Drip pad meets 265.443 design & operating standards	265a.1	265.443	H070
				(a) nonearthen, sloped construction with berm to channel associated drippage to collection system	265a.1	265.443(a)	H071
				(b) Has synthetic liner below the pad with properly constructed leak detection system	265a.1	265.443(b)	H072
				Drip pads & collection system maintained to prevent deterioration	265a.1	265.443(c)	H073
				Drip pads & collection systems designed to prevent run-off	265a.1	265.443(d)	H074
				Run-on/run-off control system maintained unless pad protected by a structure	265a.1	265.443(e)	H075
				Release reporting requirements met	265a.1	265.443(m)	H076
			✓	Drip pads inspected weekly and after storms when in operation	265a.1	265.444(b)	H077



COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

Date of Inspection 2/22/2002 Identification Number PAD 007910417Company/Facility/Site Name GILES AND RANSOME

INSPECTION CONDUCTED BY ALEX PAGE, MIKE BARNASEVITCH,  
RISK MANAGEMENT COORDINATOR, WAS THE FACILITY  
GUIDE. GILES + RANSOME IS A SALES AND REPAIR  
FACILITY FOR "CATERPILLAR" HEAVY CONSTRUCTION  
EQUIPMENT. GILES AND RANSOME EMPLOY ABOUT  
300 PEOPLE WHO WORK 2 SHIFTS. ACCESS CONTROL  
IS PROVIDED BY 24 HR. SECURITY GUARD PRESENCE  
AND ALARM SYSTEMS.

TWO HAZARDOUS WASTE STREAMS ARE GENERATED,  
① WASTE PAINT SOLVENTS AND ② WASTE PAINT  
CHIPS (SOLID). AT THE HAZARDOUS WASTE STORAGE  
AREA, DRUMS OF HAZARDOUS WASTE WERE LABELED  
AND HAD ACCUMULATION START DATES LESS THAN  
180 DAYS. PORTABLE CONTAINMENT PALLETS ARE  
USED FOR SECONDARY CONTAINMENT.

AT A RECORD REVIEW, MANIFESTS WERE  
AVAILABLE AND APPEARED PROPERLY COMPLETED AND

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature) Michael D Barnasevitch Date 2-22-02Inspector (signature) Alex Page

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

Date of Inspection 2/22/2002 Identification Number PAD 007910417Company/Facility/Site Name GILES + RANSOME

ROUTED WITHIN TIME LIMITS. A COPY OF A  
TYPICAL MANIFEST IS INCLUDED WITH THIS REPORT.  
THE P.P.C. PLAN WAS AVAILABLE AND  
EMERGENCY COORDINATOR NUMBERS WERE CHECKED  
AND FOUND TO BE ACCURATE. A P.P.C PLAN  
REVISION IS PLANNED FOR THIS YEAR.

TRAINING RECORDS WERE AVAILABLE (ON COMPUTER)  
AND TOPIC DESCRIPTIONS AND PERSONNEL IDENTIFICATIONS  
WERE INCLUDED.

NICKEL CADMIUM BATTERIES (UNIVERSAL WASTE) ARE  
PRESENT AT G. + R. RECEIPTS FOR RECYCLING  
WERE AVAILABLE.



NO VIOLATIONS OBSERVED

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature)

Date

02-22-02

Inspector (signature)



PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
Bureau of Land Recycling and Waste Management

2500-FRM-LRWMM0051 REV. 7/99

FEB 27 2001

P.O. Box 8550  
Harrisburg, PA 17105-8550

Form approved.  
OMB No. 2050-0039

OFFICIAL PENNSYLVANIA MANIFEST FORM

UNIFORM HAZARDOUS  
WASTE MANIFEST

1. Generator's US EPA ID No.

P A D 0 0 7 9 1 0 4 1 7

Manifest  
Document No.

27491

2. Page 1  
of 1

Information within the bold red border is  
not required by Federal law but may be  
required by State law.

3. Generator's Name and Mailing Address

GILES & RANSOME INC  
2975 GALLAWAY ROAD ATTN SANDY CARBONNEAU  
BENSALEM PA 19020

A. State Manifest Document Number

PAG 327491

B. State Gen. ID

SAME

4. Generator's Phone

( 215 ) 639-4300

5. Transporter 1 Company Name

REPUBLIC ENV SYS (TRANS GROUP)

6. US EPA ID Number

P A D 9 8 2 6 6 1 3 8 1

C. State Trans. ID

PA-AH 0317

7. Transporter 2 Company Name

8. US EPA ID Number

D. Transporter's Phone ( 215 ) 822-2676

E. State Trans. ID

PA-AH

9. Designated Facility Name and Site Address

REPUBLIC ENV SYS (PA), INC.  
2869 SANDSTONE DRIVE  
HATFIELD PA 19440

10. US EPA ID Number

P A D 0 8 5 6 9 0 5 9 2

F. Transporter's Phone ( )

G. State Facility's ID

H. Facility's Phone ( 215 ) 822-8995

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

HM

12. Containers

No.

Type

13. Total  
Quantity

14. Unit  
Wt/Vol

15. Waste No.

a. RQ WASTE PAINT RELATED MATERIAL, 3, UN1263, PG III,  
(D001)\*

XX3

DM

X 2100

G

D 0 0 1

b. WASTE BATTERIES, WET, FILLED WITH ALKALI, 8, UN2795,  
PG II, (D002)\*

CW

P

D 0 0 2

c. RQ HAZARDOUS WASTE, SOLID, N.O.S., 9, NA3077,  
PG III, (LEAD, CHROMIUM ), (D007)\*

XX8

DM

X 5600

P

D 0 0 7

J. Additional Descriptions for Materials Listed Above

L ED37637

S

WD37399

S AS43009

K. Handling Codes for Wastes Listed Above

a. S01

c. S01

b. S01

d.

15. Special Handling Instructions and Additional Information

11A- F003  
11B- D006  
11C- D008

EMERGENCY PHONE 215-639-4300

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

MONTH DAY YEAR

02 19 01

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

MONTH DAY YEAR

02 19 01

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

MONTH DAY YEAR

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Signature

MONTH DAY YEAR

02 21 01

File Edit Application Client Site Facility Compliance Fee Collection Bonding Views Reports Administration Window Help									
<div> <div> <div>Inspection Id</div> <div>1100177</div> </div> <div> <div>Insp Type</div> <div>CEI</div> </div> <div> <div>Compliance Evaluation</div> <div></div> </div> <div> <div>Date Inspected</div> <div>02/22/2002</div> </div> </div>									
<div> <div> <div>Inspected Entity</div> <div> <div>Cat</div> <div>PF</div> </div> <div> <div>Entity</div> <div>704</div> </div> <div> <div>Sub</div> <div>2227</div> </div> <div> <div>Fac</div> <div>PAD007910417</div> </div> <div> <div>SF Status</div> <div></div> </div> </div> <div> <div> <div>Program</div> <div>PAD007910417</div> </div> <div> <div>Specific Id</div> <div></div> </div> <div> <div>Type</div> <div>HGCAP</div> </div> </div> <div> <div> <div>Type</div> <div>CAHWO</div> </div> <div> <div>Captive Haz</div> <div></div> </div> <div> <div>Kind</div> <div></div> </div> <div> <div>Status</div> <div>ACTIV</div> </div> <div> <div>Active</div> <div></div> </div> </div> <div> <div> <div>More SF</div> <div></div> </div> <div> <div>GILES &amp; RANSOME, INC.</div> <div></div> </div> </div> </div>									
<div> <div>General</div> <div> <div>Insp SF</div> <div></div> </div> <div> <div>Viol</div> <div></div> </div> <div> <div>Comp Asst</div> <div></div> </div> <div> <div>Cover Area</div> <div></div> </div> <div> <div>Admin</div> <div></div> </div> </div>									
<div> <div> <div>Owner/Operator</div> <div>2378</div> </div> <div> <div>007910417</div> <div></div> </div> <div> <div>GILES &amp; RAMSOME INC</div> <div></div> </div> </div>									
<div> <div> <div>Complaint Id</div> <div></div> </div> <div> <div>Inspector</div> <div>446831</div> </div> <div> <div>PAGE, ALEX</div> <div></div> </div> <div> <div>More</div> <div></div> </div> </div>									
<div> <div> <div>Due Date</div> <div></div> </div> <div> <div>Inspection Result</div> <div>NOVIO</div> </div> <div> <div>No Violations Noted</div> <div></div> </div> </div>									
<div> <div> <div>Date Scheduled</div> <div></div> </div> <div> <div>Scheduled By</div> <div></div> </div> </div>									
<div> <div> <div>Agency</div> <div>DEP</div> </div> <div> <div>PA Dept of Environmental Prote</div> <div></div> </div> <div> <div>External Joint Insp</div> <div><input type="checkbox"/></div> </div> <div> <div>Viol Ind</div> <div><input type="checkbox"/></div> </div> </div>									
<div> <div> <div>Program</div> <div>WMHW</div> </div> <div> <div>ICS Code</div> <div>4100</div> </div> <div> <div>SE REGIONAL OFFICE, CONSHOHO</div> <div></div> </div> <div> <div>External Details</div> <div></div> </div> </div>									
<div> <div> <div>PF Related Info</div> <div></div> </div> <div> <div>County</div> <div>09</div> </div> <div> <div>Bucks</div> <div></div> </div> <div> <div>Municipality</div> <div>09004</div> </div> <div> <div>Bensalem</div> <div></div> </div> </div>									
<div> <div>Create ENF</div> <div>Back</div> <div>Go To</div> </div>									
<div> <div>Inspection Id</div> <div>Record 1/1</div> <div></div> </div>									



COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

Inspection Date 2/14/2001  
Time Start 1:15 PM  
Time Finish 3:00 PM

## HAZARDOUS WASTE INSPECTION REPORT

☐ GENERATOR☒ S Q GENERATOR

Company name GILES + RANSOME, INC. I.D. Number PAD 007910417  
Site Address 2975 GALLOWAY ROAD BENSALEM  
County BUCKS Municipality BENSALEM TOWNSHIP Zip 19020  
Name of Inspector ALEX PAGE  
Name & Title of Responsible Official MIKE BARNASEVITCH - RISK MGT. COORDINATOR  
Person Interviewed MIKE BARNASEVITCH Telephone ( 215 ) 639-4300  
Mailing Address (if different from above) SAME  
Amount of Hazardous Waste Generated per Month: 1200 Pounds \_\_\_\_\_ Kgs

## 1. Site Characterization:

STORAGE: ☒ Container ☐ Tanks ☐ Containment Bldg. ☐ Drip Pad Other \_\_\_\_\_PBR: ☐ Neutralization/WWTP ☐ Reclaim Other \_\_\_\_\_GENERATOR TREATMENT ☐ Containers ☐ Tanks ☐ Containment Bldg. ☐ Drip Pad2. Universal Waste: ☐ Large Quantity Handler ☐ Small Quantity Handler

Universal Waste Types \_\_\_\_\_

## 3. Hazardous Waste Transporters:

Transporter Name ST. JOSEPH MOTOR LINES License Number PA-A40390

Transporter Name \_\_\_\_\_ License Number \_\_\_\_\_

Transporter Name \_\_\_\_\_ License Number \_\_\_\_\_

## 4. Types of hazardous waste generated and destination facility (location &amp; type).

Waste Code	Waste Description	Destination Facility
D001 F003	WASTE PAINT RELATED	CHEM. CONSERV. OF GA.
F005	MATERIAL	1612 J. P. ROGERS CIR.
		VALDOSTA GA. 31601
D007 D008	HAZARDOUS WASTE SOLID	CHEM - MET SERV.
	LEAD/CHROME	18550 ALLEN ROAD
		WYANDOTTE MI 48192

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS

Site Name GILES + RANSOME ID Number PAP007910417 Date 2/14/2001

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED. CIT. 40 CFR	LINE NO.
X				Hazardous waste determination performed on all waste streams	262a.10	262.11	H001
X				Identification Number	262a.10	262.12	H002
X				Authorized transporters only	262a.10	262.12(c)	H003
X				Subsequent notification requirements met	262a.12(b)		H004
X				Proper manifest used	262a.10	262.21	H005
X				Manifests filled out correctly and completely	262a.20		H006
X				Manifests signed and routed properly	262a.23(a)	262.23	H007
	X			Generator waste accumulated on site for 90 days or less	262a.10	262.34(a)	H008
X				SQG waste accumulated on site for 180 days max unless 200 mile distance rule applies - 270 days	262a.10	262.34(e)(f)	H009
X				SQG waste accumulated on-site never exceeds 6000 kg	262a.10	262.34(e)(f)	H010
X				Satellite accumulation requirements complied with	262a.10	262.34(c)	H011
X				Personnel training program per 265.16 complied with	262a.10	262.34(a)(4) 262.34(d)	H012
X				Manifest exception and biennial reports retained for 3 years	262a.10	262.40(a)(b)	H013
X				Specified records retained for three years	262a.10	262.40(c)	H014
	X			Biennial reports submitted to the Department (LQG only)	262a.41	262.41	H015
X				Exception reporting procedures followed	262a.42	262.42	H016
X				Spill reporting procedures followed	262a.10	262.34(d)	H017
X				PPC plan developed and implemented	262a.10	262.34(a)	H018
X				Special requirements followed for international shipments	262a.10	262.50 262.60	H019
	X			Source reduction strategy prepared and available (LQG only)	262a.100		H020
X				Excluded waste complies with exclusionary requirements	261a.4	261.4	H021

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site Name GILES + RANSONE ID Number PAD007910417 Date 2/14/2001

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

**STATUS**

1	2	3	4	REQUIREMENT	PA CIT. 25 PA Code	FED CIT. 40 CFR	LINE NO.
				<b>CONTAINERS (Subchapter I)</b>			
X				Containers managed in compliance with 40 CFR Part 265 Subpart I and 25 PA Code Chapter 265a Subchapter I	262a.10	262.34	H025
X				Containers of hazardous waste in good condition	265a.1	265.171	H026
X				Containers and stored waste compatible	265a.1	265.172	H027
X				Containers kept closed except during addition or removal of wastes	265a.1	265.173(a)	H028
X				Containers managed to prevent leaks	265a.1	265.173(b)	H029
X				Container configuration and spacing insures safe management and access for inspection purposes and emergency equipment	265a.173		H030
X				Container storage areas inspected at least weekly	265a.1	265.174	H031
X				Special requirements for ignitable or reactive and incompatible waste complied with	265a.1	265.176-177	H032
X				Proper containment and collection systems in place <sup>N.A.</sup> <del>SOLIDS</del>	265a.179		H033
X				Air emission standards complied with (AA, BB, CC)	265a.1	265.178	H034
X				Containers clearly marked with accumulation date and visible for inspection	262a.10	262.34(a)(2)	H035
X				Containers labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H036
X				Containers labeled accurately identify contents	SWMA 6018.403(b) (2)		H037

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site Name GILES + RANSOME ID Number PAD 0079 10417 Date 2/14/2001

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA CODE	FED CIT. 40 CFR	LINE NO.
	X			LQG TANKS (Subchapter J)			
				Tanks labeled "Hazardous Waste"	262a.10	262.34(a)(3)	H040
				Written certification by registered professional engineer for proper tank (system) design and installation on file	262a.10	265.192(a)	H041
				Secondary containment provided for tanks (systems) as required	265a.193	265.193	H042
				Tanks (systems) managed to prevent rupture, leak, corrode or fail	265a.1	265.194	H043
				Tanks labeled to accurately identify contents	265a.194		H044
				Required inspections completed and documented in operating log	265a.195	265.195	H045
				Release reported to Department within 24 hours, unless exempted	265a.1	265.196	H046
				Special requirements for ignitable and reactive wastes followed	265a.1	265.198	H047
				Special small quantity generator requirements	265a.1	265.201	H048
				Waste contents compatible with tank	265a.1	265.201(b)(2)	H051
				Uncovered tanks operated with 2 feet of freeboard or equivalent containment capacity	265a.1	265.201(b)(3)	H052
				If continuously fed, tank has method to stop inflow	265a.1	265.201(b)(4)	H053
				Daily tank inspection requirements complied with	265a.1	265.201(c)(1-3)	H054
				Weekly tank inspection requirements complied with	265a.1	265.201(c)(4,5)	H055
				All waste removed at closure	265a.1	265.201(d)	H056
				Special requirements for ignitable or reactive waste complied with	265a.1	265.201(e)(1)	H057
				Covered tank buffer zone requirements complied with	265a.1	265.201(e)(2)	H058
				Incompatible waste requirements met	265a.1	265.201(f)	H059



COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site Name GILES + RANSOME ID Number PAD0079 10417 Date 2/14/2001

1 - No Violation Observed    2 - Not Applicable    3 - Not Determined    4 - Non Compliance

### STATUS

1	2	3	4	REQUIREMENT	PA CIT. 25 PA CODE	FED CIT. 40 CFR	LINE NO.
	X			<b>Containment Buildings (Subchapter T)</b>			
				Building completely enclosed to prevent exposure to the elements	265a.1	265.1101(a)(1)	H061
				Meets special requirements if liquids present	265a.1	265.1101(b)	H062
				Primary barrier free of significant gaps, cracks and deterioration	265a.1	265.1101(c)(1)(i)	H063
				Level of hazardous waste within unit is below containment walls	265a.1	265.1101(c)(1)(ii)	H064
				Tracking of waste out of unit by equipment or personnel prevented	265a.1	265.1101(c)(1)(iii)	H065
				No visible dust emissions at doors, windows, vents, etc.	265a.1	265.1101(c)(1)(iv)	H066
				Professional engineer's certification placed in operating record	265a.1	265.1101(c)(2)	H067
	✓			Required inspections performed and logged in operating record	265a.1	265.1101(c)(4)	H0685
	X			<b>Drip Pads (Subchapter S)</b>			
				Engineer's certification of existing drip pads on file	265a.1	265.441(a)	H069
				Drip pad meets 265.443 design & operating standards	265a.1	265.443	H070
				(a) nonearthen, sloped construction with berm to channel associated drippage to collection system	265a.1	265.443(a)	H071
				(b) Has synthetic liner below the pad with properly constructed leak detection system	265a.1	265.443(b)	H072
				Drip pads & collection system maintained to prevent deterioration	265a.1	265.443(c)	H073
				Drip pads & collection systems designed to prevent run-off	265a.1	265.443(d)	H074
				Run-on/run-off control system maintained unless pad protected by a structure	265a.1	265.443(e)	H075
				Release reporting requirements met	265a.1	265.443(m)	H076
	✓			Drip pads inspected weekly and after storms when in operation	265a.1	265.444(b)	H077

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

Date of Inspection 2/14/2001 Identification Number PAD 0079 10417Company/Facility/Site Name GILES + RANSOME, INC.

INSPECTION CONDUCTED BY ALEX PAGE. MIKE BARNASEVITCH  
RISK MANAGEMENT COORDINATOR, WAS THE FACILITY GUIDE.  
GILES + RANSOME IS A SALES AND REPAIR FACILITY  
FOR "CATERPILLAR" HEAVY CONSTRUCTION EQUIPMENT.  
G. + R. EMPLOYS ABOUT 300 PEOPLE WHO WORK  
2 SHIFTS.

AT THE HAZARDOUS WASTE STORAGE AREA DRUMS  
OF SOLID HAZARDOUS WASTE WERE LABELED WITH  
ACCUMULATION START DATES. PORTABLE CONTAINMENT  
PALLETES ARE USED FOR LIQUID HAZ. WASTES  
WHEN PRESENT.

AT A RECORD REVIEW TRAINING RECORDS WERE  
AVAILABLE AND INCLUDED TOPIC DESCRIPTIONS, SIGN-IN  
SHEETS AND COMPLETED TESTS. THE PPC PLAN  
WAS AVAILABLE AND APPEARED COMPLETE WITH  
ALL REQUIRED ELEMENTS. A MILD UPDATE WAS  
NEEDED -- COORDINATORS NAMES + ADDRESSES AND

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.


This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature) \_\_\_\_\_

Date \_\_\_\_\_

Inspector (signature) \_\_\_\_\_



COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

Date of Inspection 2/14/2001 Identification Number PAD 0079 10417Company/Facility/Site Name GILES + RANSOME, INC.PHONE NUMBER AREA CODES NEEDED TO BE ADDED/CHANGED.MANIFESTS WERE AVAILABLE AND APPEARED PROPERLY  
COMPLETED AND ROUTED WITHIN TIME LIMITS. A  
COPY OF SOLID WASTE STREAM MANIFEST AND A  
COPY OF A LIQUID WASTE STREAM MANIFEST IS  
INCLUDED WITH THIS REPORT.NICKEL-CADMIUM BATTERIES WERE PRESENT AT THE  
G.+R. FACILITIES. SPENT NICKEL CADMIUM ALKALINE  
BATTERIES ARE A UNIVERSAL WASTE AND ARE  
EXEMPTED FROM <sup>HAZ. WASTE</sup> REGULATIONS IF RECYCLED.NO VIOLATIONS OBSERVED

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature) \_\_\_\_\_

Date \_\_\_\_\_

Inspector (signature) \_\_\_\_\_



WASTE MANAGEMENT DIVISION  
MICHIGAN DEPARTMENT OF  
ENVIRONMENTAL QUALITY

DO NOT WRITE IN THIS SPACE

ATT. ☐ DIS. ☐ REJ. ☐ PR. ☐

Part 121 of Act 451, 1994, as amended.

Failure to file may subject you to  
criminal and/or civil penalties under  
Sections 324.11151 or 324.12116 MCL.

Please print or type.

Form Approved. OMB No. 2050-0039

UNIFORM HAZARDOUS WASTE MANIFEST		1. Generator's US EPA ID No. PAD007910417	Manifest Document No. 990803	2. Page 1 of 1	Information in the shaded areas is not required by Federal law. 9912152	
3. Generator's Name and Mailing Address GILES & RANSOME INC. 2975 GALLOWAY ROAD, BENSALAM, PA 19020				A. State Manifest Document Number MI 7700093		
4. Generator's Phone (215) 639-4300				B. State Generator's ID		
5. Transporter 1 Company Name ST. JES. & MATEO PAPER		6. US EPA ID Number PA1777358581		C. State Transporter's ID		
7. Transporter 2 Company Name		8. US EPA ID Number		D. Transporter's Phone (714) 765-7746		
9. Designated Facility Name and Site Address CHEK-NET SERVICE, INC. 18530 ALLEN RD. WYANDOTTE, MI 48192		10. US EPA ID Number MI0096963194		E. State Transporter's ID		
				F. Transporter's Phone		
				G. State Facility's ID		
				H. Facility's Phone (734) 282-9250		
11. US DOT Description (including Proper Shipping Name, Hazard Class, and ID NUMBER).		12. Containers		13. Total Quantity	14. Unit Wt/Vol	I. Waste No.
a. <input checked="" type="checkbox"/> HM BQ. HAZARDOUS WASTE, SOLID, H. O. S. (LEAD/ CHROME/SODIUM HYDROXIDE), 9, HAZ077, PGIII (D007/D008)ERG-171 #GIL41703		04 DM		10200	P	D007/D008 H
b. OIL/DEBRIS/RAGS  NON HAZARDOUS/NON REGULATED #GIL41702		22 DM		110	G	029L H
c.						
d.						
J. Additional Descriptions for Materials Listed Above A. GIL41703 B. GIL41702				K. Handling Codes a. b. c. d.		
15. Special Handling Instructions and Additional Information NEEDS CD SENT TO MAEC 24 HOUR EMERGENCY CONTACT MIKE BARNASEVITCH 215-639-4300						
16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.				Date		
Printed/Typed Name X Michael D. Barnasevitch		Signature Michael D. Barnasevitch		Month Day Year 11/19/94		
17. Transporter 1 Acknowledgement of Receipt of Materials				Date		
Printed/Typed Name Joe Winchbold		Signature Joe Winchbold		Month Day Year 11/19/94		
18. Transporter 2 Acknowledgement of Receipt of Materials				Date		
Printed/Typed Name		Signature		Month Day Year		
19. Discrepancy Indication Space						
20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.						
Printed/Typed Name		Signature		Month Day Year 11/19/94		

ALL SPILLS MUST BE REPORTED TO THE MICHIGAN POLLUTION EMERGENCY ALERTING SYSTEM, IN MICHIGAN AT 1-800-292-4706 OR OUT OF STATE AT 517-373-7660 AND THE NATIONAL RESPONSE CENTER AT 1-800-424-8802 24 HOURS PER DAY.

GENERATOR

TRANSPORTER

FACILITY

## WASTE MANIFEST

required by state law.

3. Generator's Name and Mailing Address  
GILES & RANSOME INC.

2975 GALLOWAY ROAD, BENSALEM, PA 19020

A. State Manifest Document Number

PAG 115126

B. State Gen. ID

4. Generator's Phone ( ) (215) 639-4300

5. Transporter 1 Company Name

6. US EPA ID Number

ST Joseph Motor Lines | PA 1987358587

C. State Trans. ID

PA-AH 0390

7. Transporter 2 Company Name

8. US EPA ID Number

Chemical Conservation | FL D960559728

D. Transporter's Phone ( 814) 709-9796

E. State Trans. ID

PA-AH

9. Designated Facility Name and Site Address

10. US EPA ID Number

CHEMICAL CONSERVATION OF GA.

1612 JAMES P RODGERS CIRCLE

VALDOSTA, GA 31601

G A D 0 9 3 3 8 0 8 1 4

F. Transporter's Phone (407) 859-4441

G. State Facility's ID

H. Facility's Phone ( 912) 244-0474

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

HM

a. X RQ WASTE PAINT RELATED MATERIAL  
(TOLUENE/XYLENE), 3, UN1263, PGII  
(D001/F003/F005)ERG-127 #GILG5147

12. Containers

No.

Type

13. Total  
Quantity14. Unit  
Wt/Vol

1. Waste No.

003

DM

00165

G

D001/F003  
F005

J. Additional Descriptions for Materials Listed Above

STATE OF ORIGIN: PA

A. GILG5147

K. Handling Codes for Wastes Listed Above

a.

b.

c.

d.

15. Special Handling Instructions and Additional Information

NEEDS CD SENT TO NAEC

24 HOUR EMERGENCY CONTACT MIKE BARNASEVITCH 215-639-4300

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment. OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

MONTH DAY YEAR

X Michael D. Barnasevitch

Michael D. Barnasevitch

01 05 00

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

MONTH DAY YEAR

Joe Winebold

Joe Winebold

01 05 00

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

MONTH DAY YEAR

Steven P. Pugh Agent for

Steven P. Pugh

01 10 00

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

Signature

MONTH DAY YEAR

Charlotte Derminey

Charlotte Derminey

01 14 00



## Inspections

Inspection Id	1005150	Insp Type	CEI	Compliance Evaluation	↓	Date Inspected	02/14/2001
Inspected Entity							
Cat	PF	Entity	704	PAD007910417	GILES & RANSOME, INC.	Program Specific Id	PAD007910417
Type	CAHWO	Captive Haz	Kind		Status	ACTIV	Active ↓
More SF	Sub	2227	PAD007910417	GILES & RANSOME, I	↓	Type	LQGEN
Fac					SF		Status ↓

General	Insp SF	Viol	Comp Asst	Cover Area	Admin	P2E2
---------	---------	------	-----------	------------	-------	------

Owner/Operator	2378	007910417	GILES & RAMSOME INC	↓		
Inspector	446831	PAGE, ALEX		↓ More		
Due Date		Inspection Result	NOVIO	No Violations Noted ↓		
Date Scheduled		Scheduled By		↓		
Agency	DEP	PA Dept of Environmental Prote	↓	External Joint Insp <input type="checkbox"/> Viol Ind <input type="checkbox"/>		
Program	WMHW	↓	ICS Code	4100		
			SE REGIONAL OFFICE, CONSHOHOCKEN	↓		
PF Related Info:	County	09	Bucks	Municipality	09004	Bensalem

Create ENF

Back

Go To

Inspection Id

Record: 1/1

&lt;OSC&gt; &lt;D86&gt;

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL RESOURCES  
BUREAU OF WASTE MANAGEMENT

INSPECTION REPORT - HAZARDOUS WASTE  
SMALL QUANTITY GENERATOR

Site I.D. PAD 007910417 Telephone # (215) 639-4300  
 Site Name GILES AND RANSOME, INC. Operator Name SAME  
 Address 2975 GALLOWAY ROAD Address \_\_\_\_\_  
BENSALEM, PA 19020  
 Municipality BENSALEM TOWNSHIP County BUCKS  
 Responsible Official MIKE BARNASEVITCH Title RISK MANAGEMENT COOR.  
 Person Interviewed MIKE BARNASEVITCH Title RISK MANAGEMENT COOR.  
 Inspector ALEX PAGE Time 2:00 PM  
 Due Date - Inspection Date 1/15/97 Inspection Type 01 Facility Type 01 Inspector ID 2138 # Violation 0

Are hazardous wastes transported off-site by this generator? Yes ☒ No

If not, license number(s) and expiration dates of transporter(s): SAFETY KLEEN AH 0172

1-No Violation Observed 2-Not-Applicable 3-Not-Determined 4-Non-Compliance

STATUS				REQUIREMENT	CHAPTER CITATION	LINE NUMBERS
1	2	3	4			
<input checked="" type="checkbox"/>				Amount of wastes generated per month is within small quantity generator limits. Average waste generated monthly <u>1200 LBS</u>	261.5(a)	H491
<input checked="" type="checkbox"/>				Amount of waste accumulated is within small quantity generator limits	261.5(d)	H492
<input checked="" type="checkbox"/>				Hazardous waste determination (262.11)	261.5(g)(1)	H493
<input checked="" type="checkbox"/>				Records of quantities, descriptions and dispositions of all wastes retained for five years and furnished to the Department upon request	262.11(d)	H494
<input checked="" type="checkbox"/>				Storage within time limit specified (261.5(d))	261.5(g)(2)	H495
<input checked="" type="checkbox"/>				Manifest system used for off-site transport	262.20(a)	H496

261.5 Indicate below the method of handling of the waste:

- ☐ a. Treatment or disposal at permitted on-site facility.  
 Permit Number \_\_\_\_\_ Treatment \_\_\_\_\_ Disposal \_\_\_\_\_
- ☐ b. Delivered to a PA haz. waste facility. Name of facility: \_\_\_\_\_
- ☐ c. Delivered to a PA municipal or residual facility with Form S approval. Name of facility: \_\_\_\_\_
- ☐ d. Delivered to an approved out-of-state facility. Name of facility: \_\_\_\_\_
- ☒ e. Delivered to a reclamation, reuse, or recycle facility. Name of facility: SAFETY KLEEN  
FAIRLESS HILLS, PA.

COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

Date of inspection 1/15/97 Identification Number PAD 007910417Company/Facility/Site Name GILES AND RANSOME, INC.

INSPECTION CONDUCTED BY ALEX PAGE, MIKE BARNASEVITCH, RISK MANAGEMENT COORDINATOR, WAS THE FACILITY GUIDE. GILES AND RANSOME IS A SALES AND REPAIR FACILITY FOR "CATERPILLAR" HEAVY CONSTRUCTION EQUIPMENT. HAZARDOUS WASTES ARE GENERATED FROM THE CLEANING AND DEGREASING OF MOTORS AND OTHER PARTS. HAZARDOUS WASTES ARE RECLAIMED THROUGH A CONTRACTUAL AGREEMENT WITH SAFETY KLEEN WHO SUPPLY SIX DEGREASER STANDS. A SMALL AMOUNT OF WASTE PAINT AND WASTE PAINT RELATED MATERIAL IS ALSO GENERATED.

THE SHOP AREA WAS INSPECTED AND OBSERVED TO BE CLEAN. NO HAZARDOUS WASTE (OTHER THAN DEGREASER STANDS) WAS PRESENT AT THE TIME OF INSPECTION. MANIFESTS WERE AVAILABLE AND APPEARED COMPLETE AND PROPERLY ROUTED. A COPY OF A MANIFEST CHOSEN AT RANDOM IS INCLUDED WITH THIS REPORT.

NO VIOLATIONS OBSERVED

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature) \_\_\_\_\_

Inspector (signature) \_\_\_\_\_

Date \_\_\_\_\_

Date 1/15/97Page 2 of 5



COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
BUREAU OF WASTE MANAGEMENT

## INSPECTION REPORT COMMENTS

Date of inspection 1/15/97 Identification Number PAD 007910417Company/Facility/Site Name GILES AND RANSOME, INC.GILES AND RANSOME, INC. IS HEREBY CLEARED  
OF A GENERAL RULES AND REGULATIONS VIOLATION  
AS ISSUED ON 10/19/89.

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature) 

Date

Date

Page

3

of

5



PENNSYLVANIA DEPARTMENT OF ENVIRONMENTAL PROTECTION  
Bureau of Land Recycling and Waste Management

P.O. Box 8550

Harrisburg, PA 17105-8550

OFFICIAL PENNSYLVANIA MANIFEST FORM

2500-FM-LRWMO051 REV. 11/95

2-139-01

Form approved.

OMB No. 2050-0039

Expires 9-30-96

UNIFORM HAZARDOUS  
WASTE MANIFEST

1. Generator's US EPA ID No.

Manifest  
Document No.

2. Page 1  
of

Information within the blue border is not  
required by Federal law but may be  
required by State law.

3. Generator's Name and Mailing Address

PAD 007910417

62232

364130

GILES & RANSOME  
2975 GALLOWAY  
GENSALEM PA

4. Generator's Phone (215) 639-4300

19020

A. State Manifest Document Number

PAE 6414450

B. State Gen. ID

C. State Trans. ID

PA-AH

0172

D. Transporter's Phone (215) 736-2699

E. State Trans. ID

PA-AH

F. Transporter's Phone ( )

G. State Facility's ID

H. Facility's Phone (215) 736-2699

5. Transporter 1 Company Name

6. US EPA ID Number

SAFETY-KLEEN CORP.

ILD 934908202

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

213901

10. US EPA ID Number

SAFETY-KLEEN CORP.  
77 CANAL ROAD

FAIRLESS HILLS PA 19030

PAD 987266715

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

12. Containers

No.

Type

13.  
Total  
Quantity

14.  
Unit  
Wt/Vol

15.  
Waste No.

a. RQ WASTE COMBUSTIBLE LIQUID, N.O.S.  
(PETROLEUM NAPHTHA) NA1993 PG111 (D001)  
(D006, D008, D018, D027, D039D040) (ERG#128)

11

DM

172

D001

D039

J. Additional Descriptions for Materials Listed Above

Lab Pack

Physical State

D018 D006

Lab Pack

Physical State

K. Handling Codes for Wastes Listed Above

a. ☐

☐

c. ☐

☐

a. 302

c. ☐

b. ☐

☐

d. ☐

☐

b. ☐

d. ☐

15. Special Handling Instructions and Additional Information

9702 92865460 862232 2-139-01-7247 01  
I-A D008D027D040

IF UNDELIVERABLE, RETURN TO GENERATOR.  
EMERGENCY RESP#300-463-1760 24HR

A 10083 B

C

D

16. GENERATOR'S CERTIFICATION:

I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked and labeled and are in all respects in proper condition for transport by highway according to applicable international and national government regulations. If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

J. Wilson

Signature

J. Wilson

MONTH DAY YEAR

10/13/97

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

D. M. C.

Signature

D. M. C.

MONTH DAY YEAR

10/13/97

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

MONTH DAY YEAR

10/13/97

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in item 19.

Printed/Typed Name

LOUISE E. FORTNEY

Signature

L. Fortney

MONTH DAY YEAR

4/02/98

In case of an emergency or spill immediately call the National Response Center (800) 424-8802 and the PA DEP (717) 787-4343

GENERATOR

TRANSPORTER

FACILITY



COMMONWEALTH OF PENNSYLVANIA  
DEPARTMENT OF ENVIRONMENTAL RESOURCES

1875 New Hope Street  
Norristown, PA 19401  
215-270-1948

November 15, 1989

Mr. Mike Barnesevitch  
Risk Management Coordinator  
Giles and Ransome, Inc.  
2975 Galloway Road  
Bensalem, PA 19020

Re: Hazardous Waste Inspection  
PAD 007910417  
October 19, 1989  
Bensalem Township, Bucks County

Dear Mr. Barnesevitch:

NOTICE OF VIOLATION

This letter is to confirm the findings of the Department's referenced inspection of your hazardous waste activities. Requirements for hazardous waste facilities are contained in Chapters 75.260 through 75.267 of the Rules and Regulations of the Department. Violations of applicable sections of these regulations found during our inspection are as follows:

75.262(g)(1)(iii) - Containers managed in accordance with 75.265(q)(1)-(14). The four (4) drums of waste F001 (1,1,1 TCE) were in storage outside of the building with no containment system. The dates of accumulation on the drums were 9-4-89 and 9-5-89.

You are hereby notified of both the existence of these violations as well as the need to provide for their prompt correction. Toward this end, you are requested to submit to the Department within fourteen (14) days a proposed program and schedule for abatement of these violations. The Department's inspection report contains time periods of completion of remedial actions. These reports are either enclosed or have been previously supplied to you. If your proposed abatement program indicates certain corrections cannot be completed within these time periods, you are requested to supply justification for any extensions.

This letter does not waive, either expressly or by implication, the power or authority of the Commonwealth of Pennsylvania to prosecute for any and all violations of law arising prior to or after the issuance of this letter or the conditions upon which the letter is based. This letter shall not be construed so as to waive or impair any rights of the Department of Environmental Resources, heretofore or hereafter existing.

Mr. Mike Barnesevitch


November 15, 1989

- 2 -

This letter shall also not be construed as a final action of the Department of Environmental Resources.

If you have any questions concerning this matter, please feel free to contact me at the above number..

Very truly yours,



FREDERICK P. WALTER, JR.  
Waste Management Specialist

cc: Ms. Kurtz  
Mr. Minihan  
Division of Compliance & Monitoring  
EPA  
Re 30 WM318.7

Commonwealth of Pennsylvania  
Department of Environmental Resources  
Bureau of Waste Management

# Inspection Report/Data Entry

Site I.D. # PAD007910417  
 Site Name Hiles & Ransome Inc.  
 Address 2975 Halloway Rd.  
Bensalem, Pa. 19020  
 Municipality Bensalem Twp.  
 Responsible Official John W. Conant  
 Person Interviewed Mike Barnasewitch  
 Inspector David Walter

Telephone # 215-639-4300 (ext. 3251)  
 Operator Name Hiles & Ransome Inc.  
 Address 2975 Halloway Rd.  
Bensalem, Pa. 19020  
 County Bucks  
 Title Risk Mgmt. Supervisor  
 Title Risk Mgmt. Coordinator  
 Time 1:00

Date	Inspection Date	Inspection Type	Facility Type	Inspector I.D. #	# Violation
<u>10/19/89</u>	<u>01</u>	<u>07</u>	<u>2154</u>	<u>01</u>	

Comment

Sample # Low Sample # High 

Monitoring Points Sampled

<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>	<u></u>

## INSPECTION TYPE

01 Routine	10 Survey
02 Spill Response	11 Part B
03 Remedial Action	12 Complaint
04 Follow Up	13 Withdrawn
05 Crit Stage	14 Closure
06 Sample Only	15 Post Closure
07 Permitting	16 Form 4
08 Superfund	17 Form 4 w/sample
09 Ground Water	50 Record Rev
	99 Other

## Municipal

01 Municipal Waste Landfill
02 Construction/Demolition Landfill
03 Processing
04 Incinerator
05 Surface Application

## FACILITY TYPE

### Residual

06 Landfill
07 Demolition
08 Processing
09 Incinerator
10 Surface Application
11 Surface Impoundment
12 Surface Injection Well

### Hazardous

01 Disposal
02 Treatment
03 Storage
04 Transporter
05 Permit by Rule
06 Generator
07 SQG
08 RRR
09 Other
50 Superfund

Hazardous Waste Inspection Report  
Generators - Part A

Date of inspection 10-19-89 Time start 1:00 Time finish \_\_\_\_\_  
 Name of inspector Fred Walter  
 Company, installation name Giles & Ransome, Inc.  
 Location 2975 Galloway Road Bensalem, Pa. 19021  
 County Bucks Municipality Bensalem Twp.  
 Identification number PAD 007910417  
 Name of responsible official John W. Cowart  
 Title Risk Management Supervisor  
 Mailing address 2975 Galloway Rd. Bensalem, Pa. 19021  
 Area code and telephone number 215-639-4300 (Ext. 3251)  
 Name of person interviewed Mike Bernasovitch  
 Title Risk Management Coordinator  
 Mailing address (if different from above) \_\_\_\_\_  
 Area code and telephone number 215-639-4300 (Ext. 3251)

## 1. Current waste handling method:

- a. ☐ On-site ☐ treatment, ☐ storage, ☐ disposal ☐ PBR  
 b. ☐ On-site ☐ use, ☐ reuse, ☐ recycle, ☐ reclaim  
 c. ☒ Off-site ☐ treatment, ☐ storage, ☒ disposal  
 d. ☒ Off-site ☐ use, ☐ reuse, ☒ recycle, ☐ reclaim

## 2. Amount of hazardous waste produced:

- a. ~2000 Per 942 ☒ kg./mo.  
 b. \_\_\_\_\_ kg./yr.

## 3. Types of hazardous waste produced by Hazardous Waste Number and destination facility (include location and type).

Waste Number	Destination Facility	Location and Type
<u>FOO1 (TCE)</u>	<u>Detrex Corp.</u>	<u>835 Industrial Hwy</u>
		<u>Cinnaminson, N.J. 08077</u>
<u>DOO1 (WASTE P&amp;T)</u>	<u>SAFETY Klean Corp</u>	<u>Bldg. PP#9 River Road</u>
		<u>Tullytown, Pa.</u>
<u>DOO2</u>	<u>Waste Conversion Inc.</u>	<u>2869 Jarristown Drive</u>
		<u>Hatfield, Pa. 19440</u>

Hazardous Waste Inspection Report  
Generators - Part B

1—No Violation Observed				2—Not Applicable				3—Not Determined				4—Non-Compliance					
Status				REQUIREMENT												Chapter Citation	
1	2	3	4													75.262	
X				Hazardous waste determination, copies available												(b)	
X				Identification number												(c)(1)	
X				Hazardous waste shipments offered only to licensed transporters												(c)(4)	
X				Authorization received from TSD facility for wastes shipped off-site												(d)	
X				PA manifest used for intrastate shipments												(e)(2)	
X				Disposer state manifest or EPA format manifest used for out-of-state shipments												(e)(3)	
X				Manifests filled out properly and completely												(e)(7)	
X				Manifests routed properly and within time limits (7 days)												(e)(14) or (15)	
X				Proper U.S. DOT shipping containers or packages												(f)(1)(i)	
X				Shipping containers marked and labeled according to U.S. DOT												(f)(1)(ii)	
X				Containers of 110 gal. or less marked with required PA label												(f)(1)(iii)	
		X		Placards offered to transporter												(f)(2)	
X				Wastes accumulated on-site for less than 90 days												(g)(1)(i)	
X				Wastes stored in proper containers and properly marked and labeled												(g)(1)(ii)	
		X		Containers managed in accordance with 75.265(a)(1)–(9)												(g)(1)(iii)	
X				Containers clearly marked with accumulation date and visible for inspection												(g)(1)(iv)	
X				Records retained at designated location for 20 years												(h)	
	X			Quarterly reports submitted to the Department												(i)	
X				Exception reporting procedures followed												(j)	
X				Hazardous waste disposal plan, if required												(l)	
X				Soil reporting procedures followed												(m)(1)	
X				Preparedness, Prevention and Contingency Plan and implemented												(m)(5)	
	X			Special requirements followed for international shipments												(o)	
X				On the job or classroom personnel training program (75.265(f))												(g)(1)(6)	
X				Drum accumulation area inspected weekly as per 75.265(a)(5)												(g)(1)(iii)	

Hazardous Waste Inspection Report  
Comments - Part C

Date of Inspection 10-19-89 Identification Number PA0007910417  
Company, Installation Name Giles and Ransome Inc.  
County Bucks Municipality Bensalem Twp.

This company has Detrex Corp, Cinnaminson N.J. and Safety Klen Corp. as transporters of their hazardous waste.

Fool, 111 TCE is picked up about every 4 mos.

Keystone Block Transportation Co. hauls waste Caustic sludge (Heavy duty - per to clean) to Waste Conversion in Hatfield, Pa. 19440.

Bob McClellan (215) 943-2605 hauls the junk batteries to Canada - EPA 23406218

There are presently 4 (55 gal) drums of Fool (111 TCE) waste outside of the building. There is no containment system nor roof over the drums to prevent rain H<sub>2</sub>O, precipitation from displacing the liquid waste inside the drums. Dates of receipt - 9-4-89, 9-5-89.

This subject of containment should be addressed - per 75.265 & (1)-(14).

This inspection report is official notification that a representative of the Department of Environmental Resources, Bureau of Waste Management, inspected the above installation. The findings of this inspection are shown in this report. Any violations which were uncovered during the inspection are indicated. Violations may also be discovered upon examination of the results of laboratory analyses and review of Department records. Notification will be forthcoming, confirming any violations indicated herein and listing any additional violations.

Person Interviewed (signature) Michael D. Barnawitich

Date

10-19-89

Inspector (signature)

Fred Walter

Date

10-19-89



Please print or type with ELITE type (12 characters/inch) in the unshaded areas only.

EPA		U.S. ENVIRONMENTAL PROTECTION AGENCY	
NOTIFICATION OF HAZARDOUS WASTE ACTIVITY			
INSTALLATION'S EPA I.D. NO.		<div>RECEIVED PA SECTION JUL 11 1986 PLEASE PLACE LABEL IN THIS SPACE EPA, R3</div>	
I. NAME OF INSTALLATION			
II. INSTALLATION MAILING ADDRESS			
III. LOCATION OF INSTALLATION		<b>INSTRUCTIONS:</b> If you received a preprinted label, affix it in the space at left. If any of the information on the label is incorrect, draw a line through it and supply the correct information in the appropriate section below. If the label is complete and correct, leave items I, II, and III below blank. If you did not receive a preprinted label, complete all items. "Installation" means a single site where hazardous waste is generated, treated, stored and/or disposed of, or a transporter's principal place of business. Please refer to the INSTRUCTIONS FOR FILING NOTIFICATION before completing this form. The information requested herein is required by law (Section 3010 of the Resource Conservation and Recovery Act).	
FOR OFFICIAL USE ONLY			
COMMENTS			
C. 19 18			

I. NAME OF INSTALLATION	
GILES + RANSOME INC	
II. INSTALLATION MAILING ADDRESS	
STREET OR P.O. BOX	
3 2975 GALLOWAY ROAD	
CITY OR TOWN	
BENSALIE M PA	
ST. ZIP CODE	
PA 19020	
III. LOCATION OF INSTALLATION	
STREET OR ROUTE NUMBER	
5 SAME AS ABOVE	
CITY OR TOWN	
6 SAME AS ABOVE	
ST. ZIP CODE	
017 Bucks	
IV. INSTALLATION CONTACT	
NAME AND TITLE (last, first, & job title)	
2 PIZZICA VEE PLANT ENGINEER	
PHONE NO. (area code & no.)	
215 639 4300	
V. OWNERSHIP	
A. NAME OF INSTALLATION'S LEGAL OWNER	
8 GILES + RANSOME	
B. TYPE OF OWNERSHIP (enter the appropriate letter into box)	
F - FEDERAL M - NON-FEDERAL	
M	
VI. TYPE OF HAZARDOUS WASTE ACTIVITY (enter "X" in the appropriate box(es))	
<input checked="" type="checkbox"/> A. GENERATION <input type="checkbox"/> B. TRANSPORTATION (complete item VII)	
<input type="checkbox"/> C. TREAT/STORE/DISPOSE <input type="checkbox"/> D. UNDERGROUND INJECTION	
VII. MODE OF TRANSPORTATION (transporters only - enter "X" in the appropriate box(es))	
<input type="checkbox"/> A. AIR <input type="checkbox"/> B. RAIL <input type="checkbox"/> C. HIGHWAY <input type="checkbox"/> D. WATER <input type="checkbox"/> E. OTHER (specify):	
VIII. FIRST OR SUBSEQUENT NOTIFICATION	
Mark "X" in the appropriate box to indicate whether this is your installation's first notification of hazardous waste activity or a subsequent notification. If this is not your first notification, enter your installation's EPA I.D. Number in the space provided below.	
<input checked="" type="checkbox"/> A. FIRST NOTIFICATION <input type="checkbox"/> B. SUBSEQUENT NOTIFICATION (complete item C)	
IX. DESCRIPTION OF HAZARDOUS WASTES	
Please go to the reverse of this form and provide the requested information.	
C. INSTALLATION'S EPA I.D. NO.	



I.D. - FOR OFFICIAL USE ONLY											
W											

# IX. DESCRIPTION OF HAZARDOUS WASTES (continued from front)

**A. HAZARDOUS WASTES FROM NON-SPECIFIC SOURCES.** Enter the four-digit number from 40 CFR Part 261.31 for each listed hazardous waste from non-specific sources your installation handles. Use additional sheets if necessary.

1 F002	2 F003	3	4	5	6
7 F001	8 F005	9	10	11	12

**B. HAZARDOUS WASTES FROM SPECIFIC SOURCES.** Enter the four-digit number from 40 CFR Part 261.32 for each listed hazardous waste from specific industrial sources your installation handles. Use additional sheets if necessary.

13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30

**C. COMMERCIAL CHEMICAL PRODUCT HAZARDOUS WASTES.** Enter the four-digit number from 40 CFR Part 261.33 for each chemical substance your installation handles which may be a hazardous waste. Use additional sheets if necessary.

31 U002	32 P076	33	34	35	36
37 U159	38	39	40	41	42
43 U228	44	45	46	47	48

**D. LISTED INFECTIOUS WASTES.** Enter the four-digit number from 40 CFR Part 261.34 for each listed hazardous waste from hospitals, veterinary hospitals, medical and research laboratories your installation handles. Use additional sheets if necessary.

49	50	51	52	53	54
----	----	----	----	----	----

**E. CHARACTERISTICS OF NON-LISTED HAZARDOUS WASTES.** Mark "X" in the boxes corresponding to the characteristics of non-listed hazardous wastes your installation handles. (See 40 CFR Parts 261.21 - 261.24.)

☒ 1. IGNITABLE  
(D001)


☒ 2. CORROSIVE  
(D002)

☐ 3. REACTIVE  
(D003)

☐ 4. TOXIC  
(D000)

## X. CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

SIGNATURE 	NAME & OFFICIAL TITLE (type or print) Donald L. Sprague Vice President	DATE SIGNED 7/10/86
---	---	------------------------

EPA Form 8700-12 (6-85) REVERSE

RECEIVED  
PA SECTION

JUL 11 1986

EPA, B3



# INSPECTION REPORT

Site ID # PA D 007910417 License # \_\_\_\_\_  
 Site Name: Hiles & Ransome Inc. Phone # (215) 639-4300 (Ext 251)  
 Address 2975 Holloway Rd.  
 City Bensalem State Pa. Zip Code 19020  
 Municipality Bensalem Twp. County Bucks  
 Responsible Official John W. Cowart Title Risk Mgmt. Supervisor  
 Person Interviewed John W. Cowart Title " "  
 Inspector Fred Walter

### Inspection Type

01 Routine  
04 Follow Up  
05 Crit Stage  
06 Sample Only  
07 Permitting  
08 Superfund  
09 Ground Water  
10 Survey

**(Generator Only)**

11 Part B  
12 Complaint  
13 Withdrawn  
14 Closure  
15 Post Closure  
16 Form 4  
17 Form 4 w/s  
50 Record Rev  
99 Other

51 Routine  
54 Follow Up  
56 Sample  
60 Survey  
62 Complaint  
70 Record Rev  
98 Other

Hazardous ☒  
Residual ☐  
Municipal ☐

- Treatment ☐
- Storage ☐
- Disposal ☐
- Generator ☒
- Processing ☐
- Surface App ☐
- Transporter ☐
- PBR ☐

[illegible]

Hazardous Waste Inspection Report  
Generators - Part A

Date of inspection 1-11-89 Time start 2:00 Time finish \_\_\_\_\_  
 Name of inspector Fred Walton  
 Company, installation name Giles & Ransome  
 Location 2975 Galloway Road  
 County Bucks Municipality Bensalem Twp.  
 Identification number PA 007910417  
 Name of responsible official John W. Cowart  
 Title Risk Management Supervisor  
 Mailing address 2975 Galloway Road Bensalem, Pa. 1902  
 Area code and telephone number 215-639-4300  
 Name of person interviewed John W. Cowart  
 Title \_\_\_\_\_  
 Mailing address (if different from above) \_\_\_\_\_  
 Area code and telephone number 215-639-4300

## 1. Current waste handling method:

- |    |  |                                     |                                   |  |                                  |
|----|--|-------------------------------------|-----------------------------------|--|----------------------------------|
| a. | <input type="checkbox"/> On-site             | <input type="checkbox"/> treatment, | <input type="checkbox"/> storage, | <input type="checkbox"/> disposal            | <input type="checkbox"/> PBR     |
| b. | <input type="checkbox"/> On-site             | <input type="checkbox"/> use,       | <input type="checkbox"/> reuse,   | <input type="checkbox"/> recycle,            | <input type="checkbox"/> reclaim |
| c. | <input type="checkbox"/> Off-site            | <input type="checkbox"/> treatment, | <input type="checkbox"/> storage, | <input type="checkbox"/> disposal            |                                  |
| d. | <input checked="" type="checkbox"/> Off-site | <input type="checkbox"/> use,       | <input type="checkbox"/> reuse,   | <input checked="" type="checkbox"/> recycle, | <input type="checkbox"/> reclaim |

## 2. Amount of hazardous waste produced:

- a. 942 / mo. Foo1 kg./mo. D001 - 2208 / mo.  
 b. \_\_\_\_\_ kg./yr. D002 - 182 / mo.

## 3. Types of hazardous waste produced by Hazardous Waste Number:

F001 D002  
D001

4. Are hazardous wastes transported off-site by the generator? ☐ Yes ☒ No



Hazardous Waste Inspection Report  
Generators — Part B

1—No Violation Observed				2—Not Applicable	3—Not Determined	4—Non-Compliance
Status				REQUIREMENT	Chapter Citation	
1	2	3	4		75.262	
X				Hazardous waste determination, copies available	(b)	
X				Identification number	(c)(1)	
X				Hazardous waste shipments offered only to licensed transporters	(c)(4)	
X				Authorization received from TSD facility for wastes shipped off-site	(d)	
X				PA manifest used for intrastate shipments	(e)(2)	
X				Disposer state manifest or EPA format manifest used for out-of-state shipments	(e)(3)	
X				Manifests filled out properly and completely	(e)(7)	
X				Manifests routed properly and within time limits (7 days)	(e)(14) or (15)	
X				Proper U.S. DOT shipping containers or packages	(f)(1)(i)	
		X		Shipping containers marked and labeled according to U.S. DOT	(f)(1)(ii)	
X				Containers of 110 gal. or less marked with required PA label	(f)(1)(iii)	
X				Placards offered to transporter	(f)(2)	
X				Wastes accumulated on-site for less than 90 days	(g)(1)(i)	
X				Wastes stored in proper containers and properly marked and labeled	(g)(1)(ii)	
X				Containers managed in accordance with 75.265(q)(1)–(9)	(g)(1)(iii)	
X				Containers clearly marked with accumulation date and visible for inspection	(g)(1)(iv)	
X				Records retained at designated location for 20 years	(h)	
X				Quarterly reports submitted to the Department	(i)	
X				Exception reporting procedures followed	(j)	
X				Hazardous waste disposal plan, if required	(l)	
X				Spill reporting procedures followed	(m)(1)	
X				Preparedness, Prevention and Contingency Plan and implemented	(m)(5)	
	X			Special requirements followed for international shipments	(o)	
X				On the job or classroom personnel training program (75.265(f))	(g)(1)(6)	
X				Drum accumulation area inspected weekly as per 75.265(q)(5)	(g)(1)(iii)	

Hazardous Waste Inspection Report  
Comments - Part C

Date of Inspection 1-11-88 Identification Number PAD007910417  
Company, Installation Name Giles & Ransome  
County Bucks Municipality Bensalem Twp.

Detrex Corp., 835 Lind. Hwy.,  
Cinnaminson, NJ 08073 is this  
facilities contracted F001 waste hauler  
to a designated facility at the same  
address. Last shipment was 9-9-88.  
F001 waste is picked up every 4 mos.  
(approx.). F001 waste is T & E.

Safety Klean Corp. is the contracted  
D001 (waste petroleum naphtha) waste  
hauler to their designated facility in  
Tullytown Pa. 19007. The scheduled  
pick up of D001 waste is approximately  
every 2 mos.

Keystone Block Transportation Co. hauls D002  
waste to Waste Conversion, Inc. Hatfield Pa. D002 waste  
is RQ Waste Corrosive Solid (Caustic Sludge). Last pick up  
was 12-17-87. Presently stored in 55 gal. drums (4 on-site)  
- This company is one branch of 12 (ready for p. 12)

- Bob McClay - 943-2605 - hauls junk (batteries to Canada - EPA 23406218)

This inspection report is official notification that a representative of the Department of Environmental Resources, Bureau of Waste Management, inspected the above installation. The findings of this inspection are shown in this report. Any violations which were uncovered during the inspection are indicated. Violations may also be discovered upon examination of the results of laboratory analyses and review of Department records. Notification will be forthcoming, confirming any violations indicated herein and listing any additional violations.

Person Interviewed (signature) John R. Cowart Date 1-11-88  
Inspector (signature) Fred Walter Date 1-11-88



ACKNOWLEDGEMENT OF NOTIFICATION  
OF HAZARDOUS WASTE ACTIVITY  
(VERIFICATION)

This is to acknowledge that you have filed a Notification of Hazardous Waste Activity for the installation located at the address shown in the box below to comply with Section 3010 of the Resource Conservation and Recovery Act (RCRA). Your EPA Identification Number for that installation appears in the box below. The EPA Identification Number must be included on all shipping manifests for transporting hazardous wastes; on all Annual Reports that generators of hazardous waste, and owners and operators of hazardous waste treatment, storage and disposal facilities must file with EPA; on all applications for a Federal Hazardous Waste Permit; and other hazardous waste management reports and documents required under Subtitle C of RCRA.

EPA I.D. NUMBER

FA0007910417

FIZZICA, VEE PLT ENGR  
FILES & TRANSFER INC  
2975 GALLOWAY RD  
BENSALEM

EPA 19020

INSTALLATION ADDRESS

2975 GALLOWAY RD  
BENSALEM

EPA 19020